

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"09894181"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:37
S2	14	((("5820388") or ("5855415") or ("5737734") or ("6012053") or ("5892898") or ("6253213") or ("6275988"))).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 12:36
S3	15	assign\$ with grade with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:41
S4	15	assign\$ with grade with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:29
S5	23	assign\$ with grade with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:41
S6	12	(assign\$ with grade with file) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:33
S7	342193	quality with filter\$ with associat\$ file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:32
S8	0	quality with filter\$ with associat\$ with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:33
S9	27	quality with filter\$ with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:33
S10	12	(quality with filter\$ with file) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:38

EAST Search History

S11	153	assign\$ with grade with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:38
S12	20	database with file with grade	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:38
S13	1437	assign\$ with (grade or qualit\$3) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:41
S14	154	database with file with (grade or qualit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:38
S15	20	(assign\$ with (grade or qualit\$3) with data) and (database with file with (grade or qualit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:38
S16	7	((assign\$ with (grade or qualit\$3) with data) and (database with file with (grade or qualit\$3))) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 12:04
S17	0	database with (record or log) with grade with file with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:46
S18	20	database with (record or log) with grade with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:36
S19	2	(database with (record or log) with grade with data) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 11:55
S20	1	associat\$ with score with portion with (filename or "file name")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 12:03

EAST Search History

S21.	1	associat\$ with score with (filename or "file name")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:41
S22	108	associat\$ with score with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 12:04
S23	61	(associat\$ with score with file) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 13:35
S24	2388	access\$ with score	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 12:06
S25	9	(access\$ with score) and ((associat\$ with score with file) and @ad<"20000630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 13:34
S26	19	rating with data with file with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 13:35
S27	5	(rating with data with file with database) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 13:37
S28	234	assign\$ with rating with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 13:37
S29	177	access\$ adj rating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 13:37
S30	17	(access\$ adj rating) and (assign\$ with rating with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 13:37

EAST Search History

S31	4	((access\$ adj rating) and (assign\$ with rating with data)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 13:37
S32	618	709/232.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:40
S33	1438	assign\$ with (grade or qualit\$3) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:41
S34	2	709/232.ccls. and (assign\$ with (grade or qualit\$3) with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:41
S35	8	((("6421733") or ("6625647") or ("6628817") or ("6631184") or ("6647412") or ("6029195") or ("6076082") or ("5410344") or ("6628817"))).PN.	USPAT	OR	OFF	2005/07/20 10:35

EAST Search History

S36	415	("3751647" "3873972" "4189711" "4230990" "4365318" "4449818" "4527194" "4528589" "4578700" "4706080" "4719357" "4751578" "4783841" "4816904" "4817184" "4851902" "4853967" "4881863" "4894790" "4908871" "4928313" "4942618" "4954699" "4958373" "5036537" "5048100" "5070532" "5093797" "5109438" "5179439" "5189630" "5216726" "5228097" "5245656" "5293456" "5301109" "5321833" "5331554" "5331556" "5347578" "5373375" "5461488" "5483658" "5517612" "5535382" "5543920" "5544320" "5555192" "5557746" "5568550" "5608800" "5619709" "5657450" "5673322" "5684969" "5694334" "5696701" "5696965" "5701451" "5706434" "5717923" "5724556" "5724567" "5727159" "5742905" "5745678" "5754763" "5754772" "5754939" "5761486" "5761663" "5764235" "5768510" "5774670" "5790798" "5790977" "5796633" "5796952" "5802106" "5805735" "5805815" "5826025" "5832208" "5835087" "5835718" "5835896" "5838916" "5848413" "5850433" "5862325" "5870543" "5880792" "5889943" "5897622" "5907841" "5909683" "5918013" "5940368" "5950172" "5970121" "5983004" "5991300" "5995503" "5996022" "6006260" "6151618" "6158903" "6161137" "6185625" "6295296" "6317718" "6401029" "6510427" "6522875" "6525850" "6567382").PN. OR ("5410344" "6029195" "6076082" "6421733" "6625647" "6628817" "6631184" "6647412").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 10:36
-----	-----	---	------------------------------	----	----	------------------

EAST Search History

S37	2	("5678041").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 10:36
S38	196	("4961224" "5113499").PN. OR ("5678041").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 10:37
S39	10	((("5410344") or ("5892989") or ("6029161") or ("6253213") or ("6275986"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 10:40
S40	6177	709/217,219,225,226,229,232.ccls.	USPAT	OR	ON	2005/07/20 10:41
S41	17	assign\$ with grade with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:41
S42	0	S40 and S41	USPAT	OR	ON	2005/07/20 10:41
S43	26	assign\$ with grade with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:41
S44	1	associat\$ with score with (filename or "file name")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:41
S45	12	(assign\$ with grade with file) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:36
S46	12	S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:36
S47	23	database with (record or log) with grade with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:36
S48	23	S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:36

EAST Search History

S49	6978	709/217,219,225,226,229,232.ccls.	USPAT	OR	ON	2006/10/24 08:15
S50	18	assign\$ with grade with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:36
S51	1	S49 and S50	USPAT	OR	ON	2006/02/07 12:36
S52	1	S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:36
S53	1	associat\$ with score with (filename or "file name")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:36
S54	1	S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:36
S57	62	(associat\$ with score with file) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:13
S58	62	S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:37
S59	212	("4961224" "5113499").PN. OR ("5678041").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 12:37
S60	212	S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:37
S61	10	((("5410344") or ("5892989") or ("6029161") or ("6253213") or ("6275986"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 12:37
S62	10	S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 12:37

EAST Search History

S63	98	grad\$3 with analyzed with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:15
S64	1953	(retriev\$4 access\$3) with grade	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:15
S65	8	S63 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:13
S66	1	S65 and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:43
S67	2500	table with analyzed with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:15
S68	104293	(retriev\$4 access\$3) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:15
S69	525	S67 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:15
S70	191	S69 and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:15
S71	14550	709/217,219,225,226,229,232.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/24 08:16
S72	4	S71 and S70	US-PGPUB; USPAT	OR	ON	2006/10/24 08:37
S73	1	"20030161311"	US-PGPUB; USPAT	OR	ON	2006/10/24 08:37
S74	1	S73 and router with queue	US-PGPUB; USPAT	OR	ON	2006/10/24 08:40

EAST Search History

S75	1	relieving adj3 loads with router	US-PGPUB; USPAT	OR	ON	2006/10/24 08:41
S76	1097	load with balanc\$3 with router	US-PGPUB; USPAT	OR	ON	2006/10/24 08:46
S77	54	S76 and priority with router	US-PGPUB; USPAT	OR	ON	2006/10/24 08:42
S78	11	S77 and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:48
S79	1097	load\$1 with balanc\$3 with routers	US-PGPUB; USPAT	OR	ON	2006/10/24 08:47
S80	532	load\$1 with balanc\$3 with routers	US-PGPUB; USPAT	OR	OFF	2006/10/24 08:47
S81	43	S80 and heavily with load\$2	US-PGPUB; USPAT	OR	OFF	2006/10/24 08:47
S82	7	S80 and heavily with load\$2 with router	US-PGPUB; USPAT	OR	OFF	2006/10/24 08:47
S83	1	S82 and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:53
S84	2002	queue with router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:53
S85	10	queue with router with equivalent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 08:53
S86	8	S85 and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 09:08
S87	80	router with single with queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 09:08

EAST Search History

S88	19	router with single adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 09:08
S89	8	S88 and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 09:14
S90	2	"6785260".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 09:14
S91	1	S90 and queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 09:40